


# Physician assessment tool

PID: \_\_\_\_\_

Date: \_\_\_\_\_

Screening     Baseline     12weeks (+/- 2)     Other



## BSA MEASURE

## SKIN PHOTOTYPE

Skin type	Typical features	Tanning ability
I	Pale white skin, blue/green eyes, blond/red hair	Always burns, does not tan
II	Fair skin, blue eyes	Burns easily, tans poorly
III	Darker white skin	Tans after initial burn
IV	Light brown skin	Burns minimally, tans easily
V	Brown skin	Rarely burns, tans darkly easily
VI	Dark brown or black skin	Never burns, always tans darkly

Fitzpatrick skin type

Source: <https://www.merckmanuals.com/en-ca/home/SearchResults?query=fitzpatri>



## EASI Score

### Take an average of the severity across the involved area.

Severity of the signs: Grade the severity of each sign on a scale of 0 to 3.

0	None
1	Mild
2	Moderate
3	Severe

Area of Involvement: Each body region has potentially 100% involvement. Score 0-6 based on the following table:

% INVOLVEMENT	0	1-9%	10-29%	30-49%	50-69%	70-89%	90-100%
	REGION SCORE	0	1	2	3	4	5

Half points (1.5-2.5) may be used. 0.5 is not permitted – if a sign is present, it should be at least mild (1)

Body region	Erythema (0-3)	Edema / papulation (0-3)	Excoriation (0-3)	Lichenification (0-3)	Region scores (0-6)	Multiplier	Score per body region
Head/Neck	( + )	_____ +	_____ +	_____ )	X _____	X 0.1	= _____
Trunk	( + )	_____ +	_____ +	_____ )	X _____	X 0.3	= _____
Upper extremities	( + )	_____ +	_____ +	_____ )	X _____	X 0.2	= _____
Lower extremities	( + )	_____ +	_____ +	_____ )	X _____	X 0.4	= _____
<b>TOTAL</b> (Sum of the 4 scores)							= _____ (0-72)

Source: Hanifin JM, Thurston M, Omoto M, Cherill R, Tofte SJ, Graeber M. The eczema area and severity index (EASI): assessment of reliability in atopic dermatitis. EASI Evaluator Group. Exp Dermatol. 2001 Feb;10(1):11-8.

# Validated Investigator Global Assessment scale for Atopic Dermatitis vIGA-ADTM

---

Instructions:

The IGA score is selected using the descriptors below that best describe the overall appearance of the lesions at a given time point. It is not necessary that all characteristics under Morphological Description be present.

Notes:

Score		Morphological Description
0	CLEAR	No inflammatory signs of atopic dermatitis (no erythema, no induration/papulation, no lichenification, no oozing/crusting). Post-inflammatory hyperpigmentation and/or hypopigmentation may be present.
1	ALMOST CLEAR	Barely perceptible erythema, barely perceptible induration/papulation, and/or minimal lichenification. No oozing or crusting.
2	MILD	Slight but definite erythema (pink), slight but definite induration/papulation, and/or slight but definite lichenification. No oozing or crusting.
3	MODERATE	Clearly perceptible erythema (dull red), clearly perceptible induration/papulation, and/or clearly perceptible lichenification. Oozing and crusting may be present.
4	SEVERE	Marked erythema (deep or bright red), marked induration/papulation, and/or marked lichenification. Disease is widespread in extent. Oozing or crusting may be present.

**vIGA score:** \_\_\_\_\_

Copyright ©2017 Eli Lilly and Company – Used with the permission of Eli Lilly and Company under a Creative Commons Attribution-NoDerivatives 4.0 International License - <https://creativecommons.org/licenses/by-nd/4.0/>

